

SYSTEMS OF DISTRIBUTION

200. Service Voltages

Listed below are the service voltages that may be available based on customer location and the nature of the load. **For service availability in your area call (513) 421-9500 or 1-800-262-3000 to be connected to the appropriate office.**

- A. The following service voltages, 600 volts or less, are supplied by the Company:
1. Single-phase, 3-wire, 120/240 volts AC at 60 Hz.
 2. Three-phase, 4-wire, 208Y/120 volts AC at 60 Hz.
 3. Three-phase, 4-wire, 480Y/277 volts AC at 60 Hz.
- B. The following service voltages, over 600 volts, are supplied by the Company:
1. Three-phase, 4-wire, 4160Y/2400 volts AC at 60 Hz.
 2. Three-phase, 4-wire, 12470Y/7200 volts AC at 60 Hz.
 3. Three-phase, 4-wire, 34500Y/19920 volts AC at 60 Hz.
 4. Three-phase, 3-wire, 33000 volts AC at 60 Hz.
 5. Three-phase, 3-wire, 69000 volts AC at 60 Hz.
 6. Three-phase, 3-wire, 138000 volts AC at 60 Hz.
- C. The following voltages, 600 volts or less, are available **for limited use**: (for availability, contact the numbers above)
1. Single-phase, 3-wire, 120/208 volts AC at 60 Hz. (please call (513) 421-9500 or 1-800-262-3000 for service availability in our area).

2. Three-phase, 4-wire, 240/120 volt AC at 60 Hz.

These voltages are nominal and may vary depending on operating conditions:

- Three-phase, 4-wire services are supplied with a grounded neutral.
- Three-phase, 3-wire services are supplied without a neutral.

201. Available Fault Current Information

For fault current information regarding a specific service call Power Delivery at (513) 651-0444 or 1-800-262-3000 ext. 3866. Refer to Article 402 for service equipment interrupting rating requirement.

